Josera.
we care, you grow

VitalAcid

Supplementary feed for acidifying of whole milk an milk replacer

Main applications

- colostrum phase
- liquid feeding phase

Product features:

- combination of high-quality acids and lignosulfonates

Product advantages:

- effective acidification
- reduction of the harmful bacteria load
- usable for the production of stock-, cool- and acidified drink
- increased protection against diarrhea
- no HACCP-concept is needed
- high acidifying effects with reduced acid aggressiveness
- relief of the digestive system

Your benefits:

- simple application
- gentle on materials and non-corrosive
- healthy calves
- higher daily weight gains
- better development of the calves



CARE

VitalAcid

Supplementary feed for acidifying of whole milk an milk replacer

Feeding recommendation:
Please note the following points when feeding acidified milk:
1. First feed at least 1,5 – 2 liters colostrum ideally mixed with JOSERA Colostrin, latest 2 hours after birth.
2. The sooner the milk is acidified, the easier and the faster the calves get used to the sour taste. Already the 2nd colostrum should be used acidified.
3. Please work only with clean equipment to keep the germ pressure low.

Safety recommendations:



Particular Risks:
H315 Causes skin irritation
H318 Causes serious eye damage

Safety recommendations:
P303/361/353
If on skin (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340
If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P301/330/331
If swallowed: Rise mouth. Do NOT induce vomiting.
P501
Dispose of contents/container to a recognized disposal point.

Composition:
propylenglycol, glycerin

Analytical constituents:

0,00 % crude protein	0,06 % calcium
0,00 % crude fibre	0,01 % phosphorus
0,00 % crude fatt	0,85 % sodium
2,60 % crude ash	

Technological additives:
Lignin sulfonates (E 565)
Formic acid (1k236) 289.000 mg/kg
Propionic acid (1k280) 60.000 mg/kg

Dosage:
3 ml VitalAcid per litre fresh milk
2 ml VitalAcid per litre JOSERA milk replacer
The addition results in a pH of about 5.5.

Application recommendation:
VitalAcid is mixed into the milk-, milk replacer. In order to reduce coagulation of milk proteins, VitalAcid can be diluted with water (minimum of 4 parts water : 1 part VitalAcid).
Pour the mixture with constant stirring slowly into the milk.

VitalAcid is ideal for longer stored, cold and sour feeding of milk. **VitalAcid** stabilizes the milk and milk replacers additionally. The acidification reduces the bacterial growth in the milk, increases safety and reduces the risk of diarrhea. The milk remains tasty despite acidification and is very well accepted by the calves.

Note: Minimum durability requires a correct and appropriate storage. In particular a hygienic, cool and dry storage is needed. Without responsibility in case of incorrect storage and application.

23 kg

CARE

Please make use of our JOSERA consulting service for specific advice.

Josera GmbH | Industriegebiet Süd | 63924 Kleinheubach | Germany
Tel.: +49 (0) 9371 940-0 | Fax: +49 (0) 9371 940-149 | export@josera.de | www.josera-agriculture.com | α DE-BY-1-00035

Special product